# KLONDIKE.

# SAFETY DATA SHEET

## KLONDIKE SAE 40 Railroad Engine Oil

#### 1 Identification

Product Identifier KLONDIKE SAE 40 Railroad Engine Oil

Product Code SAE 40 Railroad

Other means of identification

Synonyms No data available

Recommended use and restrictions on use

Recommended use ENGINE OIL

**Restrictions on use**Uses other than those described above

Initial Supplier Identifier KLONDIKE Lubricants Corporation

3078 275th Street

Langley, BC, V4W 3L4

Canada

**Telephone** General information 1-877-293-4691

Website www.klondikelubricants.com
Email info@klondikelubricants.com

Emergency phone number Chemtrec (Within US) 1-800-424-9300

Chemtrec (International) 1-703-527-3887

#### 2 Hazard identification

Classification of the hazardous product, namely the appropriate category or subcategory of the hazard class identified in Subparts 2 to 19 of Part 7 or Subparts 1 to 11 of Part 8, or a name that is its substantive equivalent, or for Subpart 20 of Part 7 and Subpart 12 of Part 8, the category of the hazard class or a description of the identified hazard

Carcinogenicity Category 1B Reproductive Toxicity Category 2

Information elements referred to in section 3 of Annex 3 of the GHS and in paragraphs 3(1)(d) to (f) of these Regulations for each of those categories or subcategories. If the required information element is a symbol, either the name of the symbol or the symbol itself may be used

GHS Hazard class symbols



Signal word Danger

**Hazard statements** May cause cancer. Suspected of damaging fertility or the unborn child. **Precautionary statements** 

Material name: KLONDIKE SAE 40 Railroad Engine Oil

Issue date: 1/9/2017

Page 1 of 12

Prevention Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wear protective

gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container to a suitable disposal site in accordance

with local/national/international regulations.

#### Other hazards known to the supplier with respect to the hazardous product

Physical hazards not otherwise

classified

Response

None Known

Health hazards not otherwise

classified

None Known

#### 3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Phenol, 4-dodecyl-	No data available	104-43-8	0.1 - 1
Residual oils, (petroleum), hydrotreated	No data available	64742-57-0	1 - 5
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	90 - 99

#### 4 First-aid measures

A description of necessary first aid measures, subdivided according to the different routes of exposure (inhalation, ingestion, skin and eye contact)

Inhalation This material does not present a hazard if inhaled. Remove individual to

fresh air after an airborne exposure if any symptoms develop, as a

precautionary measure.

Eye contact Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

**Skin Contact** Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

Do not induce vomiting and seek medical attention immediately. Provide Ingestion

medical care provider with this SDS.

The most important symptoms and

effects, whether acute or delayed

An indication of immediate medical attention and special treatment

needed, if necessary

None Known

If evacuation of stomach contents is necessary, use method least likely to cause aspiration. Aspiration during swallowing or vomiting may severely

damage the lungs.

Material name: KLONDIKE SAE 40 Railroad Engine Oil

#### 5 Fire-fighting measures

#### Suitable and unsuitable extinguishing media

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media No data available

Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion

Material may be ignited only if preheated to temperatures above the high

flash point, for example in a fire.

Hazardous Combustion Products Carbon monoxide, Smoke

Special protective equipment and precautions for firefighters

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

#### 7 Handling and storage

Precautions for safe handling

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer.

Conditions for safe storage, including

any incompatibilities

**Conditions for safe storage** Store in a cool dry place. Isolate from incompatible materials.

**Materials to Avoid/Chemical** 

Incompatibility

Strong oxidizing agents

#### 8 Exposure controls/personal protection

Material name: KLONDIKE SAE 40 Railroad Engine Oil

# Control parameters, including occupational exposure limit values or biological limit values and the source of those values

#### Canada - Alberta - Occupational Exposure Limits

Canada – Alberta – Occupational	Exposure Limits		
Chemical Name	Occupational Occupational mical Name Exposure Limits - TWAs STELs		Occupational Exposure Limits -
No data available	TWAS	STELS	Ceiling
Canada – British Columbia– Occu	national Exposure I imits		
Canada – British Columbia – Occa	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
No data available			
Canada - Manitoba - Occupationa	al Exposure Limits		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available	111710	0.120	- Coming
Canada – New Brunswick – Occup	pational Exposure Limits		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available	11112		<b>9</b>
Canada – Newfoundland & Labrac	dor – Occupational Exposu	re Limits	
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available			
Canada - Northwest Territories -	Occupational Exposure Lin	nits	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
No data available			
Canada - Nova Scotia - Occupation	onal Exposure Limits		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available			
Canada - Nunavut - Occupationa	l Exposure Limits		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available			
Canada – Ontario – Occupational	Exposure Limits		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available	1777.0		2 2 3
Canada – Prince Edward Island –	Occupational Exposure Lin	nits	
Chemical Name	Occupational Exposure Limits -	Occupational Exposure Limits -	Occupational Exposure Limits -
	•	-	-

Material name: KLONDIKE SAE 40 Railroad Engine Oil

	TWAs	STELs	Ceiling
No data available			
Canada – Quebec – Occupat	ional Exposure Limits		
Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
No data available			

#### Canada - Saskatchewan - Occupational Exposure Limits

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

#### Canada - Yukon - Occupational Exposure Limits

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV- TWA	ACGIH STEL	IDLH
No data available				

#### Appropriate engineering controls

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Facilities storing or using this material should be equipped with an

eyewash and safety shower.

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

#### Individual protection measures, such as personal protective equipment

**Respiratory Protection** 

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Wear a NIOSH approved respirator if any exposure is possible. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

Respirator Type(s)

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye and face protection

Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.

Wear goggles and a Face shield.

**Skin Protection** 

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety

goggles plus a face shield.

Material name: KLONDIKE SAE 40 Railroad Engine Oil

Hand protection Neoprene, Nitrile

Other protective equipment Where contact is likely, wear chemical resistant gloves, a chemical suit,

rubber boots, and chemical safety goggles plus a face shield.

Wear goggles and a Face shield.

**General hygiene conditions** Wear protective gloves/protective clothing/eye protection/face protection.

#### 9 Physical and chemical properties

Appearance, such as physical state

and colour

Physical stateLiquidColourBrownOdourMild

Odour threshold Not determined No data available

Melting point and freezing point

Melting point (°C)

Freezing point (°C)

No data available

No data available

No data available

No data available

(°C)

Flash point (°C) 260

**Evaporation rate**No data available
Flammability, in the case of solids and
No data available

gases

Upper and lower flammability or

explosive limits

Upper flammable or explosive limit, Not established

% in air

Lower flammable or explosive limit, Not established

% in air

Vapour pressureNo data availableVapour densityNo data available

Relative density 0.89

Solubility

Partition coefficient — n-octanol/water
Auto-ignition temperature (°C)

Decomposition temperature (°C)

Viscosity

Negligible; 0-1%

No data available

No data available

Not determined

143.3 cSt @ 40°C

#### 10 Stability and reactivity

Reactivity

**Chemical stability** Stable under normal conditions.

**Possibility of hazardous reactions**None expected under standard conditions of storage.

Conditions to avoid, including static discharge, shock or vibration

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Ctrong ovidining opento

Incompatible materialsStrong oxidizing agentsHazardous decomposition productsCarbon monoxide Smoke

Material name: KLONDIKE SAE 40 Railroad Engine Oil

#### 11 Toxicological information

Description of the various toxic health effects and the data used to identify those effects

**Information on the likely routes of**Eye contact, Ingestion, Inhalation, Skin contact

exposure (inhalation, ingestion, skin

and eye contact)

Symptoms related to the physical,

chemical and toxicological

characteristics

None Known

Delayed and immediate effects, and chronic effects from short-term and long-term exposure Immediate effects from short term exposure

**Inhalation Toxicity** Likely to be practically non-toxic based on animal data.

Skin Contact This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Eye Contact This material is likely to be non-irritating to eyes based on animal data.

Ingestion Toxicity Harmful if swallowed. May cause systemic poisoning.

Delayed and chronic effects from long term exposure

Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**Reproductive and Developmental** 

**Toxicity** 

Contains a substance that is a possible reproductive system hazard based on animal studies at doses that could be encountered in the workplace.

Mutagenicity No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Inhalation Harmful! Can cause systemic damage upon prolonged and/or repeated

exposure (see "Target Organs").

Upon prolonged and/or repeated exposure to concentrations above permissible exposure limits, can cause moderate respiratory irritation,

dizziness, weakness, fatique, nausea and headache.

**Skin Contact**Upon prolonged or repeated contact, can cause moderate skin irritation,

defatting, and dermatitis. Not likely to cause permanent damage.

**Skin Absorption** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Ingestion** No hazard in normal industrial use.

STOT-single exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

#### 12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available)

Severe ecological hazard. This product may be toxic to plants and/or

wildlife.

#### **Ecological Toxicity Data**

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability Biodegrades slowly.

Bioaccumulative potential Bioconcentration is expected to occur.

Mobility in soil This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects No data available

#### 13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging

Spent or discarded material is non-hazardous according to environmental

regulations.

#### 14 Transport information

Transportation of Dangerous Goods by land (TDG)

**UN** number Not regulated for road transport

**United Nations proper shipping name** as provided for in the United Nations

**Model Regulations** 

Not applicable

Transport hazard class as provided in

the United Nations Model Regulations

Packing group as provided in the **United Nations Model Regulations**  Not applicable

Not applicable

International carriage of dangerous goods by sea (IMDG/IMO)

**UN number** Not regulated by IMDG

**United Nations proper shipping name** as provided for in the United Nations

**Model Regulations** 

Not applicable

Transport hazard class as provided in

the United Nations Model Regulations

Not applicable

Packing group as provided in the Not applicable **United Nations Model Regulations** 

International carriage of dangerous goods by air (IATA)

**UN** number Not regulated by IATA

United Nations proper shipping name as provided for in the United Nations

**Model Regulations** 

Not applicable

Transport hazard class as provided in

the United Nations Model Regulations

Not applicable

Packing group as provided in the **United Nations Model Regulations** 

Not applicable

Environmental hazards according to No

Material name: KLONDIKE SAE 40 Railroad Engine Oil

the International Maritime Dangerous Goods Code and the United Nations Model Regulations
Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code))
Special precautions in connection with transport or conveyance either

No data available

No data available

#### 15 Regulatory information

within or outside the premises

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question Canada - Domestic Substances List (DSL)

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
Residual oils, (petroleum), hydrotreated	64742-57-0	Yes
Phenol, 4-dodecyl-	104-43-8	Yes

#### Canada - Non-Domestic Substances List (NDSL)

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates,		
hydrotreated heavy	64742-54-7	No
paraffinic		
Residual oils,		
(petroleum),	64742-57-0	No
hydrotreated		
Phenol, 4-dodecyl-	104-43-8	No

#### **Canada - Controlled Drugs and Substances**

Chemical Name	CAS No	Sched ule I	Sched ule II	Sched ule III	Sched ule IV	Sched ule V	Sched ule VII	Sched ule VIII
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No	No	No	No	No	No	No
Phenol, 4-dodecyl-	104-43-8	No	No	No	No	No	No	No

Material name: KLONDIKE SAE 40 Railroad Engine Oil

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substance s	Class 2 Targeted Substance s
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No	No	No	No	No
Phenol, 4-dodecyl-	104-43-8	No	No	No	No	No

#### Canada - CEPA - Schedule III Export Control List

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No	No	No	No
Phenol, 4-dodecyl-	104-43-8	No	No	No	No

### Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No
Phenol, 4-dodecyl-	104-43-8	No

# Canada - Narcotic Control Regulations (C.R.C., c. 1041)

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates,	64742-54-7	No
hydrotreated heavy paraffinic		NO
Residual oils, (petroleum),	64742-57-0	No
hydrotreated		NO
Phenol, 4-dodecyl-	104-43-8	No

# Canada - Ontario - Toxics Reduction - List of Priority Toxics

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No

Material name: KLONDIKE SAE 40 Railroad Engine Oil

Phenol, 4-dodecyl-	104-43-8	No
· · · · · · · · · · · · · · · · · · ·		: <del>: : =</del>

#### **Stockholm Convention on Persistent Organic Pollutants**

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates,	64740 64 7	No
hydrotreated heavy paraffinic	64742-54-7	No
Residual oils, (petroleum),	64742-57-0	No
hydrotreated		
Phenol, 4-dodecyl-	104-43-8	No

# Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No
Phenol, 4-dodecyl-	104-43-8	No

#### (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No
Phenol, 4-dodecyl-	104-43-8	No

#### Montreal Protocol on Substances that Deplete the Ozone Layer

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No
Phenol, 4-dodecyl-	104-43-8	No

#### Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils, (petroleum), hydrotreated	64742-57-0	No
Phenol, 4-dodecyl-	104-43-8	No

#### 16 Other information

Material name: KLONDIKE SAE 40 Railroad Engine Oil

**SDS Prepared by** 

Date of the latest revision of the

safety data sheet

**Revision Number** 

Reason for revision

4

**NEW VERSION** 

**SGOCHENOUR** 

01-09-2017

**Disclaimer** 

The information in this document was written based on the best knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation.

Material name: KLONDIKE SAE 40 Railroad Engine Oil