

SAFETY DATA SHEET

1. Identification

1. Identification		
Product identifier	KLONDIKE ARCTIC Full Synt	hetic TDTO-4 Transmission / Drive Train Oil
Other means of identification		
Product code	ARTIC Full Synthetic TDTO-4	
Recommended use	Synthetic Transmission / Drive	Train Fluid
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	Distributor information	
Manufacturer		
Company name	KLONDIKE Lubricants Corpora	ition
Address	3078 275th Street Langley, BC V4W 3L4	
	Canada	
Telephone	General Information	1-877-293-4691
Website	www.klondikelubricants.com	
E-mail	info@klondikelubricants.com	
Emergency phone number	Chemtrec (Within US)	1-800-424-9300
Our all an	Chemtrec (International)	1-703-527-3887
Supplier	Refer to Manufacturer	
2. Hazard(s) identification		
Physical hazards	This mixture does not meet the	classification criteria according to OSHA HazCom 2012.
Health hazards	This mixture does not meet the	classification criteria according to OSHA HazCom 2012.
Environmental hazards	This mixture does not meet the	classification criteria according to OSHA HazCom 2012.
OSHA defined hazards	This mixture does not meet the	classification criteria according to OSHA HazCom 2012.
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the	criteria for classification.
Precautionary statement		
Prevention	Observe good industrial hygien	le practices.
Response	Wash hands after handling.	
Storage	Store away from incompatible r	naterials.
Disposal	Dispose of waste and residues	in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	May cause mild skin and eye ir vomiting and diarrhea.	ritation. Ingestion may cause gastrointestinal irritation, nausea,
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
1-decene Tetramer, Mixed With 1-decene Trimer, hydrogenated	REACTION PRODUCTS OF 1-DECENE, HYDROGENATED	68649-12-7	60 - < 100
1-decene, Homopolymer, Hydrogenated	HYDROGENATED POLYDECENE	68037-01-4	10 - < 30
Diisononyl Adipate	Hexanedioic acid, diisononyl ester	33703-08-1	7 - < 13
Mineral Oil	Not Available	64742-53-6	1 - < 5

Chemical name	Common name and synonyms	CAS number	%
Zinc, Dithiophosphate Di-c1-14-alkyl Esters	PHOSPHORODITHIOIC ACID, O,O-DI-C1-14-ALKYL ESTERS, ZINC SALTS,	68649-42-3	1 - < 5

The exact concentrations of the above listed chemicals are being withheld as a trade secret as allowed by 29CFR1910.1200.

The exact concentrations of the at	
4. First-aid measures	
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
Eye contact	Flush with large amounts of water for 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do not induce vomiting. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May be mildly irritating to skin, eyes and respiratory system. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Evacuate area and fight fire from a safe distance. Ventilate the contaminated area. Remove all sources of ignition. Move containers from fire area if you can do so without risk. Cool containers / tanks with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Carbon oxides.
6. Accidental release mea	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for	The product is immiscible with water and will spread on the water surface.
containment and cleaning up	Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water
	Small Spills: Absorb spillage with non-combustible, absorbent material. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. When using do not eat or drink. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS). Keep away from food, drink and animal feedingstuffs. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

U.S OSHA				
Components	Туре	Value	Form	
Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)	TWA		None	
	s for Air Contaminants (29 CFR 1910.1		_	
Components	Туре	Value	Form	
Mineral Oil (CAS 64742-53-6)	PEL	5 mg/m3	Mist.	
		2000 mg/m3		
		500 ppm		
US. NIOSH: Pocket Guide			_	
Components	Туре	Value	Form	
Mineral Oil (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
,	TWA	5 mg/m3	Mist.	
ological limit values	No biological exposure limits noted for	or the ingredient(s).		
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
lividual protection measure	s, such as personal protective equipm	ent		
Eye/face protection	Wear safety glasses with side shields			
Skin protection				
Hand protection	Wear protective gloves. Advice shoul	ld be sought from glove suppli	ers.	
Other	Wear appropriate chemical resistant clothing.			
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Seek advice from respiratory protection specialists.			
Thermal hazards	Wear appropriate thermal protective	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Mild petroleum odor.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.

Initial boiling point and boiling range	Not available.
Flash point	> 200.0 °C (392 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 0.01 mm Hg
Vapor density	> 10
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	Negligible
Specific gravity	0.85
10. Stability and reactivity	
Desetheiter	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	None known, refer to hazardous combustion products in Section 5.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system.
Skin contact	May cause mild skin irritation.
Eye contact	May cause mild eye irritation.
Ingestion	May cause discomfort if swallowed.
Most important symptoms/effects, acute and delayed	May be mildly irritating to skin, eyes and respiratory system. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Information on toxicological effe	ects

Acute toxicity May c

May cause mild irritation to skin, eyes and respiratory system. May cause irritation of the gastrointestinal tract.

Components	Species	Test Results	
-decene Tetramer, Mixed With	1-decene Trimer, hydrogenated (CAS 68649-12-7)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation			
LC50	Rat	1.17 mg/l, 4 hours Mist	
Oral			
LD50	Rat	> 5000 mg/kg	
-decene, Homopolymer, Hydrog	genated (CAS 68037-01-4)		
Acute	<u> </u>		
Inhalation			
LC50	Rat	1.17 mg/l, 4 hours Mist	
Diisononyl Adipate (CAS 33703-	08-1)	5 /	
Acute			
Dermal			
LD50	Rabbit	No data in literature	
Inhalation			
LC50	Rat	> 5.7 mg/l, 4 Hours	
Oral		2 0.1 mg/l, 1 10010	
LD50	Rat	> 5000 mg/kg	
	nat	> 0000 mg/ng	
Annual Oil (CAS 64742-53-6)			
Acute Dermal			
LD50	Rabbit	> 2000 mg/kg	
	Παθοίι	> 2000 mg/kg	
Inhalation	Det		
LC50	Rat	2.18 mg/l, 4 hours (Mist)	
Oral	Det	5000	
LD50	Rat	> 5000 mg/kg	
Zinc, Dithiophosphate Di-c1-14-a	alkyl Esters (CAS 68649-42-3)		
Acute			
Dermal			
LC50	Rabbit	No data in literature	
Inhalation			
LC50	Rat	No data in literature	
Oral			
LD50	Rat	26100 mg/kg	
	be based on additional component data not shown	l.	
Skin corrosion/irritation	May be irritating to the skin.		
Serious eye damage/eye rritation	May be irritating to eyes.		
Respiratory or skin sensitization			
Respiratory sensitization	This product is not expected to cause respirator	-	
Skin sensitizer	This product is not expected to cause skin sens	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any con mutagenic or genotoxic.	No data available to indicate product or any components present at greater than 0.1% are	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). The highly refined mineral oils in this product contain <3% (w/w) DMSO-extract, according to IP346		
IARC Monographs. Overal	I Evaluation of Carcinogenicity		
Mineral Oil (CAS 64742	2-53-6) 1 Carcinogenic	to humans	

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Mineral Oil (CAS 64742-5	53-6) Known To Be Human Carcinogen.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified as a specific target organ toxicity -single exposure.
Specific target organ toxicity - repeated exposure	Not classified as a specific target organ toxicity -repeated exposure.
Aspiration toxicity	Not expected to be an aspiration hazard.
Chronic effects	Prolonged or repeated contact may cause drying, cracking and defatting of the skin.
Further information	This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

		Species	Test Results
-decene Tetramer, Mixed	With 1-decene	Trimer, hydrogenated (CAS 68649-12-7)	
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	> 1000 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 1000 mg/l, 96 hours
Chronic			
Algae	NOEC	Green algae (Selenastrum capricornutum)	1000 mg/l, 72 hours
Crustacea	NOEC	Water flea (Daphnia magna)	125 mg/l, 21 days
-decene, Homopolymer, H	lydrogenated (CAS 68037-01-4)	
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	> 1000 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 1000 mg/l, 96 hours
Chronic			
Algae	NOEC	Green algae (Selenastrum capricornutum)	1000 mg/l, 72 hours
Crustacea	NOEC	Water flea (Daphnia magna)	125 mg/l, 21 days
lineral Oil (CAS 64742-53	-6)		
Acute			
Other	LC50	Freshwater shrimp (Gammarus pulex)	> 10000 mg/l, 96 Hours
Chronic			
	NOEC	Rainbow trout (Oncorhynchus mykiss)	1000 mg/l, 14 days
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas	s) > 100 mg/l, 96 Hours
Chronic			
Crustacea	NOEC	Water flea (Daphnia magna)	10 mg/l, 21 days

Components		Species	Test Results
Zinc, Dithiophosphate	Di-c1-14-alkyl Este	ers (CAS 68649-42-3)	
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	1 - 5 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	1 - 1.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promela	us) 1 - 5 mg/l, 96 hours
Chronic			
Algae	NOEC	Green algae (Selenastrum capricornutum)	1 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	Not inherently biodegradable.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to This substance/mixture is not intended to be transported in bulk. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.
CERCLA Hazardous Substance List (40 CFR 302.4)
Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS Listed. 68649-42-3) SARA 304 Emergency release notification
Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.

Superfund Amendments and F	eauthorization Act of 198	36 (SARA)				
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No					
SARA 302 Extremely haza	SARA 302 Extremely hazardous substance					
Not listed.						
SARA 311/312 Hazardous chemical	No					
SARA 313 (TRI reporting)						
Chemical name		CAS number	% by wt.			
Zinc, Dithiophosphate	0i-c1-14-alkyl Esters	68649-42-3	1 - < 5	_		
Other federal regulations						
Clean Air Act (CAA) Section	on 112 Hazardous Air Poll	lutants (HAPs) List				
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Relea	ase Prevention (40 CFR	68.130)			
Not regulated.	N					
Safe Drinking Water Act (SDWA)	Not regulated.					
US state regulations						
US. California Controlled S	Substances. CA Departme	ent of Justice (Californi	a Health and Safety C	Code Section 11100)		
Not listed.						
US. Massachusetts RTK -						
Mineral Oil (CAS 64742 US. New Jersey Worker an		now Act				
•	i-c1-14-alkyl Esters (CAS					
US. Pennsylvania Worker						
Not listed. US. Rhode Island RTK						
	0i-c1-14-alkyl Esters (CAS	68649-42-3)				
US. California Proposition						
California Safe Drinking	Water and Toxic Enforcer listed as carcinogens or re		ition 65): This material	l is not known to contain		
International Inventories						
Country(s) or region	Inventory name			On inventory (yes/no)*		
Australia	Australian Inventory of	Chemical Substances (A	JCS)	Yes		
Canada	Domestic Substances L	_ist (DSL)		Yes		
Canada	Non-Domestic Substan	ces List (NDSL)		No		
China	Inventory of Existing Ch	nemical Substances in Cl	hina (IECSC)	Yes		
Europe	European Inventory of Substances (EINECS)	Existing Commercial Che	mical	No		
Europe	European List of Notifie	ed Chemical Substances	(ELINCS)	No		
Japan	Inventory of Existing an	d New Chemical Substa	nces (ENCS)	No		
Korea	Existing Chemicals List	E(ECL)		Yes		
New Zealand	New Zealand Inventory	,		Yes		
Philippines	Philippine Inventory of ((PICCS)	Chemicals and Chemical	Substances	Yes		
United States & Puerto Rico	Toxic Substances Cont	rol Act (TSCA) Inventory		Yes		
*A "Yes" indicates that all comp	onents of this product comply	with the inventory requirement	ents administered by the	governing country(s)		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-09-2017
Version #	02

The information in this document was written based on the best knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation. The information in the sheet was written based on the best knowledge and experience currently available.

Revision Information

Physical & Chemical Properties: Multiple Properties