

SAFETY DATA SHEET

1. Identification

Product identifier	KLONDIKE SAE 5W-40 Mid S	APS Full Synthetic Engine Oil
Other means of identification		а. с.
Product code	SAE 5W-40 Mid SAPS Full Syr	Ithetic
Recommended use	Engine Oil	
Recommended restrictions		
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	KLONDIKE Lubricants Corpora	ition
Address	3078 275th Street	
	Langley, BC V4W 3L4	
	Canada	
Telephone	General Information	1-877-293-4691
Website	www.klondikelubricants.com	
E-mail	info@klondikelubricants.com	
Emergency phone number	Chemtrec (Within US)	1-800-424-9300
	Chemtrec (International)	1-703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II) Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extr EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances Not applicable

3.2. Mixtures Comments

: Synthetic Base Oils

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Synthetic Base Oils	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	5 - 50	Asp. Tox. 1, H304
Synthetic Base Oils	(CAS-No.) 72623-86-0 (EC-No.) 276-737-9 (EC Index-No.) 649-482-00-X	< 50	Asp. Tox. 1, H304
Mineral oil *	(REACH-no) 01-2119474878-16	1 - 10	Asp. Tox. 1, H304
bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	0,1 - 2,5	Aquatic Chronic 4, H413
Comments	 * contains one or more of the following CAS- 64741-88-4 (01-2119488706-23), 64741-89- 2119487081-40), 64741-96-4 (01-21194836), 01-4 (01-2119488707-21), 64742-52-5 (01-2 64742-54-7 (01-2119484627-25), 64742-55- 2119480132-48), 64742-57-0 (01-211948922 65-0 (01-2119471299-27), 64742-71-8 (01-2 72623-86-0 (01-2119474878-16), 72623-87- 2119495601-36) The highly refined mineral oil contains <3% (5 (01-211948706 21-38), 64741-97 119467170-45), (8 (01-211948707 87-22), 64742-62 119485040-48), [°] 1 (01-211947488	i7-30), 64741-95-3 (01- -5 (01-2119480374-36), 64742- 64742-53-6 (01-2119480375-34), i7-29), 64742-56-9 (01- -7 (01-2119480472-38), 64742- 72623-85-9 (01-2119555262-43), i9-13), 74869-22-0 (01-
Full text of H-statements: see section 16		,	, C
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: If you feel unwell, seek medical advice (show		possible). :
First-aid measures after inhalation	Remove person to fresh air and keep comforta	ble for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water.		
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	uell. De met indu	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel un	well. Do not indu	ce vorniting.
4.2. Most important symptoms and effects,	,		
Symptoms/effects	: No additional information available. Not experient anticipated conditions of normal use.	cted to present a	significant hazard under
Symptoms/effects after ingestion	: May result in aspiration into the lungs, causin	g chemical pneur	nonia.
4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxi	de	
Unsuitable extinguishing media	: Do not use a heavy water stream.	uo.	
5.2. Special hazards arising from the subst			
Fire hazard	: Combustible liquid.		
Hazardous decomposition products in case of	: Toxic fumes may be released. Incomplete c	ombustion release	ses dangerous carbon monovide
fire	carbon dioxide and other toxic gases.		see aangelous carbon monoxide,

5.3. Advice for firefighters Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area.

6.1.2. For emergency responders Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.0 Conditions for onfo stores includ	ling any incompatibilities

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature	: 0 - 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ΕU

Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction).

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR), Polyvinylchloride (PVC)	4 (> 120 minutes), 5 (> 240 minutes), 6 (> 480 minutes)	>=0,35	3 (> 0.65)	EN 374
Eye protection:					
Safety glasses					
Туре	Use		Characteristics	Standard	
Safety glasses	Droplet		clear	EN 166	
Skin and body protection:					
Wear suitable protective clothing					
Respiratory protection:					
In case of insufficient ve	ntilation wear suitable re	spiratory equipment			

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and cher	nical properties
Physical state	: Liquid
Colour	: brown.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -39 °C - ASTM D5950 (pour point)
Boiling point	: No data available
Flash point	: 230 °C - ASTM D92 (COC)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,849 kg/l (15 °C) - ASTM D4052
Solubility	: Water : Practically not miscible.
Log Pow	: No data available
Viscosity, kinematic	: 78,8 mm²/s (40 °C) - ASTM D7279
Viscosity, dynamic	: No data available
Explosive properties	: Presents no particular fire or explosion hazard.
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 0%

SECTION 10: Stability and reactivity

10.1. Reactivity The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

10.3.

Stable under normal conditions.

Possibility of hazardous reactions No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on toxico	logical effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation) : Not classified	
59 EDEREGRIEGEREE ET EN EDERE EU EER C15-30,	は思想問題を見ませた。 は、思想問題を見ませた。 第二日の日本ののののので、 1910年の19 1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の19 1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910 1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の1910年の19 1910年の1910 1910年の1910 1910年の1910 1910 1910 1910 1910 1910 1910 1910

LD50 oral rat LD50 dermal rabbit > 5000 mg/kg (OECD 401 method) > 2000 mg/kg (OECD 402 method)

LC50 inhalation rat (mg/l)	> 5,53 mg/l (OECD 403 method)
Distillates (petroleum), hydrotreated heavy	
LD50 oral rat	> 5000 mg/kg (OECD 420 method)
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	> 5,53 mg/l/4h (mg/L air, aerosol) (OECD 403 method)
bis(nonylphenyl)amine (36878-20-3)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
KLONDIKE 5W40 MID SAPS DEXOS 2	
Viscosity, kinematic	78,8 mm²/s (40 °C) - ASTM D7279
•	on
SECTION 12: Ecological information 12.1. Toxicity Ecology - general	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment.
12.1. Toxicity	: The product is not considered harmful to aquatic organisms nor to cause long-term advers
12.1. Toxicity Ecology - general Acute aquatic toxicity	: The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment.
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil *	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified > 100 mg/l
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1)	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified > 100 mg/l > 1000 mg/l > 100 mg/l > 100 mg/l
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 100 mg/l 1000 mg/l 100 mg/l 200 mg/l
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1)	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 100 mg/l 100 mg/l 100 mg/l 200 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) Immediate Management 15-30, Immediate Management 15-30, I	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 1000 mg/l 100 mg/l 100 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1)	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 100 mg/l 100 mg/l 100 mg/l 200 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) ILC50 fish 1 LC50 other aquatic organisms 1 NOEC (acute) NOEC chronic crustacea	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 100 mg/l 10000 mg/l 100 mg/l 100 mg/l 100 mg/l 200 mg/l 100 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) = 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) LC50 fish 1 LC50 fish 1 LC50 other aquatic organisms 1 NOEC (acute)	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 100 mg/l 100 mg/l 2623-86-0) 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) = 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 T2h algae (1) Immuneration (15-30, Immuneration) LC50 fish 1 LC50 other aquatic organisms 1 NOEC (acute) NOEC chronic crustacea	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 1000 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) = 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method) 4742-54-7) 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) Interest of the second	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 100 mg/l 100 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) = 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 211 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) SEC50 72h algae (1) SEC50 72h algae (1) SEC50 fish 1 LC50 other aquatic organisms 1 NOEC (acute) NOEC chronic crustacea	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 1000 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) 100 mg/l (Daphnia magna, 21d) (OECD 211 method) 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 100 mg/l (Daphnia magna, 21d) (OECD 211 method) 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) SECTO	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 1000 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) = 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 203 method) 1000 mg/l (Pimephales promelas, 96h) (OECD 203 method) > 100 mg/l (Daphnia magna, 21d) (OECD 211 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) LC50 fish 1 LC50 fish 1 LC50 other aquatic organisms 1 NOEC (acute) NOEC chronic crustacea	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 10000 mg/l 100 mg/l 100 mg/l 2623-86-0) 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) = 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 203 method) > 1000 mg/l (Gammarus pulex, 48h) (OECD 203 method) > 100 mg/l (Daphnia magna, 21d) (OECD 211 method) 10000 mg/l (Gammarus pulex, 48h) (OECD 203 method) > 1000 mg/l (Daphnia magna, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) INTERCEDUCTOR (15-30, INTERCEDUCTOR) LC50 fish 1 LC50 other aquatic organisms 1 NOEC (acute) NOEC chronic crustacea INTERCEDUCTOR (15-30, INTERCEDUCTOR) NOEC chronic crustacea INTERCEDUCTOR (15-30, INTERCEDUCTOR) NOEC chronic 1 EC50 Daphnia 1 EC50 Daphnia 2 NOEC (acute) NOEC chronic fish	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 100 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 100 mg/l (Pimephales promelas, 96h) (OECD 202 method) 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 203 method) 1000 mg/l (Cammarus pulex, 48h) (OECD 203 method) 100 mg/l (Daphnia magna, 21d) (OECD 201 method) 1000 mg/l (Pimephales promelas, 96h) (OECD 203 method) 2 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 2 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 2 1000 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 1000 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) Immediate framework (15-30, Immediate framework) LC50 fish 1 LC50 other aquatic organisms 1 NOEC (acute) NOEC chronic crustacea Immediate framework (150 Daphnia 1 EC50 Daphnia 1 EC50 Daphnia 2 NOEC (acute) NOEC chronic fish NOEC chronic fish NOEC chronic crustacea	 The product is not considered harmful to aquatic organisms nor to cause long-term advers effects in the environment. Not classified Not classified 100 mg/l 100 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 100 mg/l (Pimephales promelas, 96h) (OECD 202 method) 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 203 method) 1000 mg/l (Cammarus pulex, 48h) (OECD 203 method) 100 mg/l (Daphnia magna, 21d) (OECD 201 method) 1000 mg/l (Pimephales promelas, 96h) (OECD 203 method) 2 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 2 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 2 1000 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 1000 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method) 2 100 mg/l (Daphnia magna, 48h) (OECD 202 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) INOEC fish 1 LC50 other aquatic organisms 1 NOEC (acute) NOEC chronic crustacea INOEC chronic crustacea INOEC (acute) NOEC chronic 1 EC50 Daphnia 1 EC50 Daphnia 2 NOEC (acute) NOEC chronic fish NOEC chronic crustacea bis(nonylphenyl)amine (36878-20-3)	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 100 mg/l 1000 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 100 mg/l (Daphnia magna, 21d) (OECD 201 method) 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method) 100 mg/l (Daphnia magna, 21d) (OECD 211 method) 10000 mg/l (Cocorburde) 10000 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Daphnia magna, 21d) (OECD 201 method) 10000 mg/l (Cocorburde) 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) 1000 mg/l (Daphnia magna, 48h) (OECD 201 method) 1000 mg/l (Daphnia magna, 21d) (OECD 211 method)
12.1. Toxicity Ecology - general Acute aquatic toxicity Chronic aquatic toxicity Mineral oil * LC50 fish 1 EC50 Daphnia 1 EC50 72h algae (1) SEC50	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 100 mg/l 1000 mg/l 100 mg/l 100 mg/l (Pimephales promelas, 96h) (OECD 203 method) 1000 mg/l (Gammarus pulex, 48h) (OECD 202 method) 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method) 10 mg/l (Daphnia magna, 21d) (OECD 202 method) 10000 mg/l (Gammarus pulex, 48h) (OECD 203 method) 100 mg/l (Daphnia magna, 21d) (OECD 211 method) 10000 mg/l (Cammarus pulex, 48h) (OECD 203 method) 10000 mg/l (Cammarus pulex, 48h) (OECD 203 method) 10000 mg/l (Cammarus pulex, 48h) (OECD 202 method) 10000 mg/l (Cammarus pulex, 48h) (OECD 202 method) 10000 mg/l (Cammarus pulex, 48h) (OECD 202 method) 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) 10000 mg/l (Daphnia magna, 48h) (OECD 202 method) 1000 mg/l (Daphnia magna, 48h) (OECD 201 method) 1000 mg/l (Daphnia magna, 21d) (OECD 211 method) 100 mg/l (Daphnia magna, 21d) (OECD 211 method) 100 mg/l (Daphnia magna, 21d) (OECD 211 method) 100 mg/l (Daphnia magna, 21d) (OECD 211 method)

54 REGEBBERGERGERGERGERGERGERGERGERGERGERGERGERGE	(2623-86-0)
Persistence and degradability	Not readily biodegradable.
Biodegradation	31 % (28d) (OECD 301F method)

Biodegradation	31 % (28d) (OECD 301F meth	31 % (28d) (OECD 301F method)		
bis(nonylphenyl)amine (36878-20-3)				
Biodegradation	1 % (test concentration 20,1 m	ıg/l)		
12.3. Bioaccumulative potential				
	疑疑默許問題(2623-86-0)			
Log Kow	> 6			
Bioaccumulative potential	Bioaccumulative potential.	Bioaccumulative potential.		
12.4. Mobility in soil				
	<u>開幕影響 開幕</u> 72623-86-0)			
Ecology - soil	Insoluble in water.			
12.5. Results of PBT and vPvB asso	essment			
Component				
朝際部部第二章 建型制度 第二十五十五章 15-30, 新期時期時期 15 世界第二十五章 15-30,		ot meet the PBT criteria of REA0 ot meet the vPvB criteria of REA		
12.6. Other adverse effects				
No additional information available				
SECTION 13: Disposal consider	ations			
13.1. Waste treatment methods				
Waste treatment methods		Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector sorting instructions.		
Product/Packaging disposal recommendation	ations : Dispose in a safe manner in a	Dispose in a safe manner in accordance with local/national regulations.		
European List of Waste (LoW) code	: 13 02 05* - mineral-based no	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils		
SECTION 14: Transport informa				
In accordance with ADR / RID / IMDG / I/				
ADR IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number Not applicable Not applic	able Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name Not applicable Not applic	able Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es) Not applicable Not applic	able Not applicable	Not applicable	Not applicable	
14.4. Packing group Not applicable Not applic	able Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards	abla Not appliachta	Not applicable	Not applicable	
Not applicable Not applic	able Not applicable	Not applicable	Not applicable	

No supplementary information available

14.6. Special precautions for user

- Overland transport Not applicable

- Transport by sea Not applicable

- Air transport Not applicable

- Inland waterway transport Not applicable

- Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: 3. Liquid substances or mixtures which are regarded as dangerous in bis(nonylphenyl)amine accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 3 (b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 3(c) Substances or mixtures fulfilling the criteria for any of the following bis(nonylphenyl)amine hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances VOC content : 0%

15.1.2. National regulations No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

7 10 1	no nationo ana	
A	ON	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
A	DR	European Agreement concerning the International Carriage of Dangerous Goods by Road
A	ΓE	Acute Toxicity Estimate
B	CF	Bioconcentration factor
Cl	_P	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DI	MEL	Derived Minimal Effect level
DI	NEL	Derived-No Effect Level
E	C50	Median effective concentration
IA	RC	International Agency for Research on Cancer
IA	ТА	International Air Transport Association
IN	IDG	International Maritime Dangerous Goods
LC	250	Median lethal concentration
LD	050	Median lethal dose
LC	DAEL	Lowest Observed Adverse Effect Level
N	DAEC	No-Observed Adverse Effect Concentration
N	DAEL	No-Observed Adverse Effect Level
N	DEC	No-Observed Effect Concentration
O	ECD	Organisation for Economic Co-operation and Development
PE	ЗT	Persistent Bioaccumulative Toxic
P	NEC	Predicted No-Effect Concentration
R	EACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RI	D	Regulations concerning the International Carriage of Dangerous Goods by Rail
vF	vв	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:

Aquatic Chronic 4	Hazardous to the aquatic environment 🗓 Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product