

SAFETY DATA SHEET

1. Identification

1. Identification		
Product identifier	KLONDIKE All Season Synthetic Blend TDTO-4 Transmission / Drive Train Oil	
Other means of identification		
Product code	All Season Syn Blend TDTO-4	
Recommended use	Synthetic Blend Transmission	/ Drive Train Oil
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	Distributor information	
Manufacturer		
Company name	KLONDIKE Lubricants Corpora	ation
Address	3078 275th Street	
	Langley, BC V4W 3L4 Canada	
Telephone	General Information	1-877-293-4691
Website	www.klondikelubricants.com	
E-mail	info@klondikelubricants.com	
Emergency phone number	Chemtrec (Within US)	1-800-424-9300
	Chemtrec (International)	1-703-527-3887
Supplier	Refer to Manufacturer	
2. Hazard(s) identification		
Physical hazards	This mixture does not meet the	e classification criteria according to OSHA HazCom 2012.
Health hazards	This mixture does not meet the	e classification criteria according to OSHA HazCom 2012.
Environmental hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
OSHA defined hazards	This mixture does not meet the	e classification criteria according to OSHA HazCom 2012.
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the criteria for classification.	
Precautionary statement		
Prevention	None required according to OS	SHA Hazcom 2012.
Response	None required according to OS	SHA Hazcom 2012.
Storage	None required according to OS	SHA Hazcom 2012.
Disposal	None required according to OS	SHA Hazcom 2012.
Hazard(s) not otherwise classified (HNOC)	cause respiratory irritation. Ma	ses. sult in classification: May cause mild skin and eye irritation. May y cause discomfort if swallowed. Prolonged overexposure may ffects, such as increased organ weights.
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates, (petroleum), Hydrotreated Heavy Paraffinic	HEAVY BASE OILS (HEAVY PARAFFINIC HYDROTREATED DISTILLATE)	64742-54-7	60 - 100
Diisononyl Adipate	Hexanedioic acid, diisononyl ester	33703-08-1	7 - 13
Zinc, Dithiophosphate Di-c1-14-alkyl Esters	PHOSPHORODITHIOIC ACID, O,O-DI-C1-14-ALKYL ESTERS, ZINC SALTS.	68649-42-3	1 - 5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

5 1	
4. First-aid measures	
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration. Get medical attention if symptoms persist.
Skin contact	Wash off with plenty of water. Duration of rinsing should be at least 15 minutes. Get medical attention if irritation develops and persists.
Eye contact	Flush with large amounts of water for 15 minutes. Get medical attention if irritation persists after washing.
Ingestion	Do not induce vomiting. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if any discomfort continues.
Most important symptoms/effects, acute and delayed	May be mildly irritating to the skin and eyes. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Firefighters should wear full protective gear. Remove all sources of ignition. Use water spray to cool unopened containers. Move containers from fire area if you can do so without risk. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Carbon oxides. Hydrocarbons.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Extinguish all flames in the vicinity. Stop the flow of material, if this is without risk. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Contaminated absorbent material may pose the same hazards as the spilled product. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Eliminate all sources of ignition. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Do not use in areas without adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in original tightly closed container. Store in a well-ventilated place. Store in a cool, dry place out of direct sunlight. Store away from incompatible

materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

U.S OSHA Components	Туре	Value	Form	
Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)	TWA		None	
Biological limit values	No biological exposure limits noted for	he ingredient(s).		
Appropriate engineering controls	Ensure adequate ventilation, especially in confined areas. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
Individual protection measures	, such as personal protective equipmer	ıt		
Eye/face protection	If contact is likely, safety glasses with side shields are recommended. Eye wash fountain and emergency showers are recommended.			
Skin protection				
Hand protection	Wear appropriate chemical resistant gloves. Advice should be sought from glove suppliers.			
Other	Wear suitable protective clothing.			
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Advice should be sought from respiratory protection specialists.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

9. Physical and chemical properties

	•
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Mild petroleum odor.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	> 300 ºC (572 ºF)
range	
Flash point	> 200.0 °C (392 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 10
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.

Material name: KLONDIKE All Season Synthetic Blend TDTO-4 Transmission / Drive Train Oil All Season Syn Blend TDTO-4 2133 Version #: 02 Issue date: 02-10-2017

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	Negligible
Specific gravity	0.88

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, sparks and open flame. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	None known, refer to hazardous combustion products in Section 5.

11. Toxicological information

i ii i exiteelegiea iiieiina			
Information on likely routes of e	exposure		
Inhalation	May cause irritation to the respiratory system.		
Skin contact	May cause mild skin irritation.		
Eye contact	May cause mild eye irritation.		
Ingestion	May cause discomfort if swallowed.		
Most important symptoms/effects, acute and delayed	May be mildly irritating to the skin and eyes. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
Information on toxicological eff	fects		
Acute toxicity	This product is not classified as an acute to The below product data is the calculated AT component data appears below the product	E values for this mixture. Individual ingredient	
Product	Species	Test Results	
KLONDIKE All Season Synthetic	Blend TDTO-4 Transmission / Drive Train Oil ((CAS Mixture)	
Acute			
Dermal			
LD50	Rabbit	> 5000 mg/kg	
Inhalation			
LC50	Rat	5.63 mg/l, 4 hours	
Oral			
LD50	Rat	13425 mg/kg	
Components	Species	Test Results	
Diisononyl Adipate (CAS 33703-0	08-1)		
Acute			
Dermal			
20000			
LD50	Rabbit	No data in literature	
	Rabbit	No data in literature	
LD50	Rabbit Rat	No data in literature > 5.7 mg/l, 4 Hours	
LD50 Inhalation			

Components	Species	Test Results
Distillates, (petroleum), Hydrotrea	ted Heavy Paraffinic (CAS 64742-54-7)	
Acute		
Dermal		5000 //
LD50	Rabbit	> 5000 mg/kg
Inhalation LC50	Rat	> 5 mg/l, 4 Hours (Mist)
Oral	nai	> 5 mg/l, 4 mours (mist)
LD50	Rat	> 15000 mg/kg
Zinc, Dithiophosphate Di-c1-14-all		2
Acute	, (
Dermal		
LC50	Rabbit	No data in literature
Inhalation		
LC50	Rat	No data in literature
Oral	_	
LD50	Rat	26100 mg/kg
* Estimates for product may b	e based on additional component data not	shown.
Skin corrosion/irritation	May cause mild skin irritation.	
Serious eye damage/eye rritation	May cause mild eye irritation.	
Respiratory or skin sensitization	1	
Respiratory sensitization	This product is not expected to cause respiratory sensitization.	
Skin sensitizer	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	No components present at greater than (NTP, or OSHA.	0.1% are considered to be a carcinogen by IARC, ACG
OSHA Specifically Regulate Not listed.	d Substances (29 CFR 1910.1001-1050)	
Reproductive toxicity	This product is not expected to cause rep	productive or developmental effects.
Specific target organ toxicity - single exposure	Not classified as a specific target organ toxicity -single exposure.	
Specific target organ toxicity - repeated exposure	Not classified as a specific target organ t	oxicity -repeated exposure.
Aspiration toxicity	Not expected to be an aspiration hazard.	
Chronic effects	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.	
Further information	This product has no known adverse effect on human health.	
12. Ecological informatior	1	
Ecotoxicity	Components of this product are hazardo	us to aquatic life.
	Species Test Results	

<i>Acute</i> Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas	s) > 100 mg/l, 96 hours
<i>Chronic</i> Crustacea	NOEC	Water flea (Daphnia magna)	10 mg/l, 21 days

Components		Species	Test Results
Zinc, Dithiophosphate	Di-c1-14-alkyl Este	ers (CAS 68649-42-3)	
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	1 - 5 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	1 - 1.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	1 - 5 mg/l, 96 hours
Chronic			
Algae	NOEC	Green algae (Selenastrum capricornutum)	1 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, S	Subpt. D)
Not regulated.	
CERCLA Hazardous Substance List (40 CFR 302.4)	
Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3) SARA 304 Emergency release notification	Listed.
Not regulated. OSHA Specifically Regulated Substances (29 CFR 191	0.1001-1050)
Not listed.	

Superfund Amendments and Re Hazard categories	eauthorization Act of 1986 Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	(SARA)		
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.	
Zinc, Dithiophosphate Di	-c1-14-alkyl Esters	68649-42-3	1 - 5	_
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollut	ants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act	n 112(r) Accidental Release Not regulated.	e Prevention (40 CFR	68.130)	
(SDWA)				
US state regulations				
US. California Controlled S	ubstances. CA Departmen	t of Justice (Californi	a Health and Safety C	code Section 11100)
Not listed. US. Massachusetts RTK - S	Substance List			
Not regulated.				
US. New Jersey Worker and	d Community Right-to-Kno	w Act		
•	-c1-14-alkyl Esters (CAS 68	8649-42-3)		
Not listed. US. Rhode Island RTK				
Zinc, Dithiophosphate Di	-c1-14-alkyl Esters (CAS 68	649-42-3)		
	65 Water and Toxic Enforceme listed as carcinogens or rep		ition 65): This material	is not known to contain
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	Australian Inventory of Ch		ICS)	Yes
Canada	Domestic Substances Lis	t (DSL)		Yes
Canada	Non-Domestic Substance	es List (NDSL)		No
China	Inventory of Existing Che	mical Substances in C	hina (IECSC)	Yes
Europe	European Inventory of Ex Substances (EINECS)	isting Commercial Che	emical	Yes
Europe	European List of Notified	Chemical Substances	(ELINCS)	No
Japan	Inventory of Existing and	New Chemical Substa	nces (ENCS)	No
Korea	Existing Chemicals List (E	ECL)		Yes
New Zealand	New Zealand Inventory			Yes
Philippines	Philippine Inventory of Ch (PICCS)	nemicals and Chemical	Substances	Yes
United States & Puerto Rico *A "Yes" indicates that all compo	Toxic Substances Contro onents of this product comply wi			Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-10-2014
Version #	01

Disclaimer

The information in this document was written based on the best knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation.

Bibliography

Not available.